

brilliant-cv

Documentation

Authors: mintyfrankie

Build Date: 2024-11-02

Version: 2.0.3

Contents

1. Introduction	2
2. Setup	2
3. Migration from v1 to v2	3
4. Configuration via <code>metadata.toml</code>	4
5. Functions	6

1. Introduction

Brilliant CV is a Typst template for making Résumé, CV or Cover Letter inspired by the famous LaTeX CV template Awesome-CV.

2. Setup

Step 1: Install Fonts

In order to make Typst render correctly, you will have to install the required fonts [Roboto](#) and [Source Sans Pro](#) (or Source Sans 3) in your local system.

Step 2: Check Documentation

You are reading this documentation now, woah!

Step 3: Bootstrap Template

In your local system, just working like `git clone`, bootstrap the template using this command:

```
typst init @preview/brilliant-cv:<version>
```

Replace the `<version>` with the latest or any releases (after 2.0.0).

Step 4: Compile Files

Adapt the `metadata.toml` to suit your needs, then `typst c cv.typ` to get your first CV!

Step 5: Go beyond

It is recommended to:

1. Use `git` to manage your project, as it helps trace your changes and version control your CV.
2. Use `typstyle` and `pre-commit` to help you format your CV.
3. Use `typos` to check typos in your CV if your main locale is English.
4. (Advanced) Use LTex in your favorite code editor to check grammars and get language suggestions.

3. Migration from v1 to v2

With an existing CV project using the v1 version of the template, a migration is needed, including replacing some files / some content in certain files.

1. Delete brilliant-cv folder, .gitmodules. (Future package management will directly be managed by Typst)
2. Migrate all the config on metadata.typ by creating a new metadata.toml. Follow the example toml file in the repo,

it is rather straightforward to migrate.

3. For cv.typ and letter.typ, copy the new files from the repo, and adapt the modules you have in your project.
4. For the module files in /modules_* folders:
 - a. Delete the old import #import "../brilliant-CV/template.typ": *, and replace it by the import statements in the new template files.
 - b. Due to the Typst path handling mechanism, one cannot directly pass the path string to some functions anymore. This concerns, for example, the logo argument in cvEntry, but also on cvPublication as well. Some parameter names were changed, but most importantly, you should pass a function instead of a string (i.e. image("logo.png") instead of "logo.png"). Refer to new template files for reference.
 - c. You might need to install Roboto and Source Sans Pro on your local system now, as new Typst package discourages including these large files.
 - d. Run typst c cv.typ without passing the font-path flag. All should be good now, congrats!

Feel free to raise an issue for more assistance should you encounter a problem that you cannot solve on your own :)

4. Configuration via `metadata.toml`

The `metadata.toml` file is the main configuration file for your CV. By changing the key-value pairs in the config file, you can setup the names, contact information, and other details that will be displayed in your CV.

Here is an example of a `metadata.toml` file:

```
# INFO: value must matches folder suffix; i.e "zh" -> "./modules_zh"
language = "en"

[layout]
# Optional values: skyblue, red, nephritis, concrete, darknight
awesome_color = "skyblue"

# Skips are for controlling the spacing between sections and entries
before_section_skip = "1pt"
before_entry_skip = "1pt"
before_entry_description_skip = "1pt"

[layout.header]
# Optional values: left, center, right
header_align = "left"

# Decide if you want to display profile photo or not
display_profile_photo = true
profile_photo_path = "template/src/avatar.png"

[layout.entry]
# Decide if you want to put your company in bold or your position in bold
display_entry_society_first = true

# Decide if you want to display organisation logo or not
display_logo = true

[inject]
# Decide if you want to inject AI prompt or not
inject_ai_prompt = false

# Decide if you want to inject keywords or not
inject_keywords = true
injected_keywords_list = ["Data Analyst", "GCP", "Python", "SQL", "Tableau"]

[personal]
first_name = "John"
last_name = "Doe"

# The order of this section will affect how the entries are displayed
# The custom value is for any additional information you want to add
[personal.info]
github = "mintyfrankie"
phone = "+33 6 12 34 56 78"
email = "john.doe@me.org"
linkedin = "johndoe"
# gitlab = "mintyfrankie"
# homepage: "jd.me.org"
# orcid = "0000-0000-0000-0000"
```

```

# researchgate = "John-Doe"
# extraInfo = "I am a cool kid"
# custom-1 = (icon: "", text: "example", link: "https://example.com")

# add a new section if you want to include the language of your choice
# i.e. [[lang.ru]]
# each section must contains the following fields
[lang.en]
header_quote = "Experienced Data Analyst looking for a full time job starting from now"
cv_footer = "Curriculum vitae"
letter_footer = "Cover letter"

[lang.fr]
header_quote = "Analyste de données expérimenté à la recherche d'un emploi à temps plein disponible dès maintenant"
cv_footer = "Résumé"
letter_footer = "Lettre de motivation"

[lang.zh]
header_quote = "数据分析经验丰富的数据分析师，现寻求全职工作"
cv_footer = "简历"
letter_footer = "求职信"

# For languages that are not written in Latin script
# Currently supported non-latin language codes: ("zh", "ja", "ko", "ru")
[lang.non_latin]
name = "简历"
font = "Heiti SC"

```

5. Functions

cvEntry

Add an entry to the CV.

Parameters

```
cvEntry(  
    title: str,  
    society: str,  
    date: str,  
    location: str,  
    description: array,  
    logo: image,  
    tags: array,  
    metadata: array,  
    awesomeColors: array  
) -> content
```

title str

The title of the entry.

Default: "Title"

society str

The society of the entr (company, university, etc.).

Default: "Society"

date str

The date of the entry.

Default: "Date"

location str

The location of the entry.

Default: "Location"

description array

The description of the entry. It can be a string or an array of strings.

Default: "Description"

logo image

The logo of the society. If empty, no logo will be displayed.

Default: ""

tags array

The tags of the entry.

Default: ()

metadata array

(optional) the metadata read from the TOML file.

Default: metadata

awesomeColors array

(optional) the awesome colors of the CV.

Default: awesomeColors

cvHonor

Add a Honor to the CV.

Parameters

```
cvHonor(  
    date: str,  
    title: str,  
    issuer: str,  
    url: str,  
    location: str,  
    awesomeColors: array,  
    metadata: array  
) -> content
```

date str

The date of the honor.

Default: "1990"

title str

The title of the honor.

Default: "Title"

issuer str

The issuer of the honor.

Default: ""

url str

The URL of the honor.

Default: ""

location str

The location of the honor.

Default: ""

awesomeColors array

(optional) The awesome colors of the CV.

Default: awesomeColors

metadata array

(optional) The metadata read from the TOML file.

Default: metadata

cvPublication

Add the publications to the CV by reading a bib file.

Parameters

```
cvPublication(  
    bib: bibliography,  
    keyList: list,  
    refStyle: str,  
    refFull: bool  
) -> content
```

bib bibliography

The bibliography object with the path to the bib file.

Default: ""

keyList `list`

The list of keys to include in the publication list.

Default: `list()`

refStyle `str`

The reference style of the publication list.

Default: `"apa"`

refFull `bool`

Whether to show the full reference or not.

Default: `true`

cvSection

Add the title of a section.

NOTE: If the language is non-Latin, the title highlight will not be sliced.

Parameters

```
cvSection(  
    title: str,  
    highlighted: bool,  
    letters: int,  
    metadata: array,  
    awesomeColors: array  
) -> content
```

title `str`

The title of the section.

highlighted `bool`

Whether the first n letters will be highlighted in accent color.

Default: `true`

letters `int`

The number of first letters of the title to highlight.

Default: `3`

metadata array

(optional) the metadata read from the TOML file.

Default: metadata

awesomeColors array

(optional) the awesome colors of the CV.

Default: awesomeColors

cvSkill

Add a skill to the CV.

Parameters

```
cvSkill(  
    type: str,  
    info  
) -> content
```

type str

The type of the skill. It is displayed on the left side.

- info (str | content): The information about the skill. It is displayed on the right side. Items can be separated by #hbar().

Default: "Type"